

PRINTER RUSH

(PTO ASSISTANCE)

Application : 10/790,090 Examiner : Patel GAU : 3765

From : MR Location : IDC FMF FDC Date : 1-18-5

Tracking # : 06039559 Week Date : 11-15-04

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: U.S. application serial no. 09/782,966 is
listed as P1a CIP in palm sheet, while specification
says 'related to'.

Please advise.

Thank you,
MR

[XRUSH] RESPONSE: The specification has been
corrected by Examiner's Amendment to correct the
above problem.

INITIALS: BR

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04